

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	51	(torque adj limit\$2) and (tire or tyre) and temperature and transmission and differential	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/28 09:35
S42	868	(torque adj limit\$3) same (transmission and control)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/28 13:40
S43	178	S42 and (transmission adj torque)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/28 09:53
S44	74	S43 and continuous\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/28 11:36
S45	73	S44 and (time or second or minute or integra\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/28 09:58
S46	64	S45 and (temperature or tire or tyre or wheel or diameter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/28 10:00
S47	0	("2004/0059490").URPN.	USPAT	OR	ON	2006/02/28 10:42
S48	39	S43 and (clutch near (torque or force))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/28 11:52
S49	17	S42 and clutch and ((tire or tyre or wheel) near (diameter or size or standard)) and (oil near temperature)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/28 11:53
S50	12	("4650028"   "5699888"   "5964126"   "5967285"   "6095939"   "6155947"   "6186258"   "6378677"   "6520880"   "6578692"   "6637572"   "6814681").PN. OR ("6966396").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/02/28 12:07

## EAST Search History

S51	10	("5665021"   "5730680"   "5803862"   "5807206"   "5947861"   "5971887"   "6146308"   "6157884"   "6287232"   "6317672").PN. OR ("6666793").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/02/28 12:15
S52	323	(torque adj limiter) same clutch same (reduc\$3 or decreas\$3 or less\$2 or lower)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/28 13:43
S53	176	S52 and transmission	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/28 13:43
S54	123	S53 and time	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/28 13:43
S55	85	S54 and (continuous\$2 or perpetual\$2 or always)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/28 13:45
S56	21	S55 and temperature	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/28 15:06
S57	509	701/54.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/28 15:06
S58	445	S57 and (torque or force)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/28 15:06
S59	313	S58 and clutch	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/28 15:06

## EAST Search History

S60	8	S59 and ((wheel or tire or tyre) adj3 (diameter or size or spare or standard))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/28 15:07
S61	8	S59 and ((wheel or tire or tyre) adj3 (diameter or size or spare or standard or nonstandard))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/28 15:08
S62	2	("5631829").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/03/06 01:45